

A Guide to Teleprompters



Thank you for
joining me
today. I have
some great
news to share
with you.....

Thank you for
joining me
today. I have
some great
news to share
with you.....

This guide provides you with all the information to help you choose which teleprompter is right for your camera and your application.




PowerPoint™ / Keynote™

Import PowerPoint™ or Keynote™ presentation slides via the web interface and control them using the WR-500 controller, wireless presentation clickers or over IP from any device with a web browser.



OR



Flexible Control Options

Use the WR-500 Wired/ Bluetooth remote or any device with a web browser to control to pause, resume, scroll, increase or decrease speed, increase and decrease font size, and jump to specific points within the script.

Real Time Editing



Interrupt live broadcasts with breaking news or urgent updates, simply modify the script via the web interface and watch it update in real time.



Synchronize multiple tablets via IP

Connect multiple teleprompters together using our unique IP synchronisation over Ethernet or WiFi or connect using HDMI (TP-800 only)

TP-300

For Mid-sized Cameras and Camcorders

TP-300 is ideal for a video studio setting and houses any tablet with a minimum width of 110mm and maximum of 210mm measured in portrait orientation. TP-300 works best with handheld camcorders.



TP-500

For DSLR Cameras and Camcorders

TP-500 is designed for use with DSLR cameras. It is ideal to use for webcasts, filming Youtube videos, and on-the-field productions. TP-500 houses any tablet with a minimum width of 110mm and maximum of 210mm measured in portrait orientation. A regular 10" iPad or Android tablet work best.

TP-650

For Large ENG Cameras

The TP-650 is designed to accommodate larger tablet computers including the 12.9" iPad Pro to give user a great visual experience while using prompter. The teleprompter houses any tablet with a minimum width of 145mm and maximum of 265mm measured in portrait orientation.



Conference Teleprompter

TP-800

TP-800 is designed for presentations and conferences, where you want the speaker to have the flexibility to move around on stage and not just be limited to looking at one camera. TP-800 features a bright 15" LCD screen with dvPrompter Plus app built-in. There is no need to run software on a laptop and TP-800 can be powered from a V-Lock battery. Everything fits into a hard carry case for safe transport.




High-Quality mirror glass with a low iron content, meaning that the mirror has no tint. Handle with Care



Compare Teleprompters

	TP-650	TP-500	TP-300	TP-800
				
Product Name	ENG Camera Prompter	DSLR Prompter	Tablet Prompter (Wide variety)	Conference Prompter
Supported Tablet Size	Min. Width: 145mm Max. Width: 265mm	Min. Width: 110mm Max. Width: 210mm	Min. Width: 110mm Max. Width: 210mm	Not applicable
Hood Dimension / Prompter Size	Width: 415mm Height: 290mm Depth: 750mm	Width: 265mm Height: 160mm Depth: 120mm	Width: 250mm Height: 160mm Depth: 240mm	Width: 430mm Height: 2000mm Depth: 410mm
Software	dvPrompter from iOS and Android	dvPrompter from iOS and Android	dvPrompter from iOS and Android	dvPrompter Plus app built-in
Remote Control	Bluetooth, Wired or Network Connection	Bluetooth, Wired or Network Connection	Bluetooth, Wired or Network Connection	Wired or Network Connection

Teleprompters Accessories



The **dvPrompter Plus** is a full function teleprompter scripting application that can be used

with the Datavideo WR-500 wired / wireless remote controller and the affordable on or off camera Datavideo mounting systems. (Tablet/Laptop not included)

The **dvPrompter Plus** in-app purchase unlocks additional features to control, create and edit scripts over a local network from any device using with a web browser. In addition, you can synchronize playback of multiple tablets, edit scripts in real time and import slides from PowerPoint™ or Keynote™. The full featured dvPrompter App is included in the TP-800 system with built-in tablet, screen and networking capabilities.



WR-500

Bluetooth Teleprompter Remote Control

The WR-500 remote can be used wired or wireless to control the teleprompter and is compatible with iOS and Android tablets.

HC-650

Hard Case for TP-650



HC-500

Hard Case for TP-500



HC-300

Hard Case for TP-300



Disclaimers of Product and Services: This sheet is intended as a guide only. We reserve the right to change specifications, prices, and availability without prior notice. MSRP listed in USD. While we strive for complete accuracy, be aware that it may contain errors and omissions. Prior to purchase, please check with your local Datavideo office or authorized distributor.