

Datavideo Product Compare

<https://www.datavideo.com/ru/>

Номер модели	DN-60A
Product	DV/HDV Цифровой Видео Магнитофон
Video Standard	SD & HD-ready (HDV)
Video Format	DV/DVCPro25/DVCpro50: 576i 50Hz, 480i 59.94/60Hz HDV: 1080i 50/59.94/60Hz, 720p 50/59.94/60Hz
Supported Video Input Signal	1x DV / HDV (IEEE1394 6-pin)
Video Output	1x DV / HDV (In/Out share)
Analog Audio Input	----
Analog Audio Output	----
Embedded Audio	DV / HDV In/Out (2-CH)
Storage Medium	Compact Flash card*
Multi-channel Recording	
Estimated Record Time (min per 10GB)	SD / DV: 46 HDV: 50 (1080i) ~ 65 (720p)

Recording Media	Removable CF card, transfer via card reader
Storage File System	NTFS (read/write on Window & MAC) FAT32 (read/write on Window & MAC)
Recorded File Format	SD / DV: AVI, MXF OP1A, MOV HDV: M2T
Video Recording Bit Rate / Color Sampling	SD / DV: 25Mbps, 4:2:0 DVCPro25: 25Mbps, 4:1:1 DVCPro50: 25Mbps, 4:2:2 HDV: 25Mbps, 4:2:0
Audio Recording Format	MPEG-1 Layer 2, 384kbps Sampling rate 48KHz (16bit), 32KHz (12bit)
Encode Supported	
Video Bitrate	
Preview Display	
Time Code In / Out	Via embedded DV/HDV only
External Sync / Genlock	----
External Control	
Power Failure Protection	Content saved up to last second before power failure
Chassis	Handheld, Camera-mountable via Ball-head
Dimension (LxWxH)	
Weight	

Operating Temp. Range	
Power	
What's in the Box	1 x DN-60A product 1 x AD Switch DC 12V 1 x IEEE 1394 6-4pin Cable 1 x IEEE 1394 6-6pin Cable 1 x 9 Steps Quick Setup Guide
Approved Drives	